

BURNERS

Burner Assembly



- High efficiency, low amp diesel burner
- "Clean Cut" fuel pump eliminates smoking
- Easy to adjust airbands



Part No.	Description
----------	-------------

7-00030	14VDC, MHP, PGDC Units
7-00031	14VDC, MVC
7-00009	115V, AFG, VHW Units
7-00011	115V, AFG, w/ Cap Start Motor, Skids, PHWS
7-00012	115V, AFG, Hot Units
7-00013	115V, AFG, HOT, OHW, PHWS Units
7-00021	115V, AFG, VHW, VHWS Units
7-00090	230V, AFG, VHW, VHWS Units
7-00010	230V, SM, w/120V Solenoid, HOT, OHW, PHWS Units

115 / 230 Volt Oil Burners



- .4 to 3 GPH firing rate
- 6-1/4" blower fan 115V and 230V
- 3450 RPM pump/blower motor
- Solid state ignition
- Beckett "CleanCut" fuel pump with oil valve
- Air tube 2-3/4"
- UL recognized



Part No.	Description
----------	-------------

307032	Beckett AFG 115
307036	Beckett AFG 230

12 Volt DC Oil Burner



- 12 Volt solid state ignition
- 1/6 HP
- 3450 RPM
- 4-1/4" Fan
- Beckett "CleanCut" fuel pump with oil valve



Part No.	Description
----------	-------------

307059	Beckett 14V
307061	Beckett 13.5V w/ Electric Eye

NOTE: Proper operation requires an engine with 16+ Amp alternator and deep cycle battery on nightly, overnight recharge

Blower Wheels



Part No.	Landa No.	Beckett No.	Description
----------	-----------	-------------	-------------

079513		2288U	5-3/4D x 3-7/16W, SF-SM
079515	7-2383	2383U	6-1/4D x 3-7/16W, SR
079517	7-2999	2999U	4-1/4D x 2-1/2WAFG
079518	7-21404	21404	4-1/4D x 2-7/16W, ADC

Electrode / Insulator Assembly



Part No.	Landa No.	Beckett No.	Description
----------	-----------	-------------	-------------

079534	7-5780	5780	Std to 9", AC,A,F,SR, SM
079535		5940	Std to 9", MB/MD
079536		5781	Std to 9", A & S
079548		578728	ADC Electrode
7-578726		578726	ADC Electrode
7-578727		578727	Electrode Kit AFG
7-578703		578703	Electrode Kit SM

Flex Couplings



Part No.	Landa No.	Beckett No.	Description
----------	-----------	-------------	-------------

079520	2-001449	2454	Flex Coupling 5/16 "A", (M/A)
079521		2290	Flex Coupling 7/16 "S", (J/H)
079522	7-2433	2433	Flex Coupling 5/16 "S", (M/A)
079523		21282	Flex Coupling 7/16 "A", (J/H)
079524	7-21405	21405	Flex Coupling 12 VDC

Beckett Misc. Parts

Part No.	Landa No.	Beckett No.	Description
----------	-----------	-------------	-------------

079530		149	Electrode Clamps (ALL)
079542		5432	Flange, w/ Gasket (ALL)
079543		5850	Flange, Split Uni, A&S
079560	7-3616	3616	Gasket, Universal, AMF
079562	7-3416	3416	Gasket, Unit Mtg
079541		3400	Flange Mtg Screw
079592	7-5877	5877	Burner Housing, AFG/ADC
079595		5717 (51400)	Knurled Nut Kit, ADC
079677		51304	Transf Mtg Gasket, AFG
079674		31404	Transformer Clip
079654	7-7006U	7006U	Cadcell Flame det
079684		7350U	Primary Control (7434U)
079675		3245	Transformer Spring
079629		AF90	Air Tube w/o Head
079573		5151501	Air Band (3 x 92 AFG)
079566	7-51568	51568	Brush Kit 12V ADC
079567		51572	Brushes 12V SDC

Blower Wheel



Part No.	Landa No.	Wayne No.	Description
----------	-----------	-----------	-------------

079005	7-20288	20288	5-3/16" x 3-7/16"
079006	7-21854	21854	6-1/4" x 4-3/16"
078999	7-20673	20673	4-1/4" x 3-1/8"
079003		21427-003	12V (Fasco)
079003A	7-21427	21427	(MET)

Oil Burners



115 / 230 Volt



12 Volt

- .75 to 3 GPH firing rates
- Solid state ignition (Low Amp)
- High volume 6-1/4" blower on 220V unit, 5-3/16" blower on 110V unit
- 3450 RPM pump/blower motor
- "A" – type SUNTEC fuel pump
- 3-3/4" air tube with adjustable flange for maximum versatility
- UL recognized


- 12 Volt solid state ignitor
- 3450 RPM fuel pump
- .5 to 2.75 GPH capacity with oil valve



Part No.	Description
307000	115V AC Burner w/ Oil Valve
307003	230V AC Burner w/ Oil Valve
307007*	12V DC Burner w/ Oil Valve

*Proper operation requires an engine with 16+ Amp alternator and deep cycle battery on nightly, overnight recharge

Burner Tune-Up Kit



- Oil line – 8"
- Buss bars
- Buss bar bracket
- Electrodes pair w/ insulator
- Motor/pump coupler
- Insulator bushing
- Instructions
- J pump coupling end
- Tip setting gauge



Part No.	Landa No.	Wayne No.	Description
079056	7-31156	31156	Burner Tune-up Kit

Wayne Burner Parts

Part No.	Landa No.	Wayne No.	Description
7-13286		13286	Electrode Pair
079052	7-14733/34001	14733-001 14734-002	Electrode Assembly (Pair) with Buss Bars – G shape
079024	7-12945	12945	Buss Bar – G shape
079034	7-14344	14344	Burner Gasket
078785	7-12484	12484	Universal Gasket
079014	7-4725	4725	Burner Housing (E-Series)
079016		2689-11	Burner Flange "F"
079059	7-13279	13279	Flex Coupler A Fuel Unit
079060		N/A	Coupler End (J Pump 7/16")
079010	7-13360	13360	Trans Clip Screw
079011	7-13038	13038	Trans Clip
079004	7-2668-002	2668	Outer Air Band (8 Hole)
079007	7-2669-002	2669	Inner Air Band (8 Hole)
078979		31702-014	Gun Assy, F/307007
078752	7-21913-001	21913-001	Nozzle Adapter w/legs MSR/DC

Common Parts - Beckett & Wayne



Oil Line



Brass Elbow

Part No.	Landa No.	Description
079526	7-14451	Oil Line, 6.5", Copper
079058	7-0020	Oil Line, 8", Copper
079525		Oil Line, 9.5", Copper
079066	7-13494	Brass 90° Elbow 1/8" flare, 1/8" MPT
079067		Brass 90° Elbow 3/16 flare, 1/8" MPT
079020		Oil Pressure Gauge 0 - 200 psi
449332		T-Handle Hex Wrench (Blower Wheel)
079051		(28737-1) Nozzle Adapter

Burner Motors



48M



48N

Part No.	Landa No.	RPM	HP	Flange	Voltage	Wayne / Beckett No.
48M						
079602		3450	1/7	48M	115V	20627 / 2456U
079605		3450	1/4	48M	12V	N/A / 21539
079607		3450	1/6	48M	14VDC	N/A / 21416U
079608		3450	1/7	48M	240V	20892 / 21174
079613		3450	1/6	48M	13.5V	21699U
079615		3450	1/5	48M	115/240V	N/A / 21345
079021		4500	1/5	48M	12VDC	21993-005 / N/A
48N						
079604		3450	1/4	48N	115V	N/A / 2364U
079609		3450	1/4	48N	115/240V	N/A / 21344
079611		3450	1/5	48N	240V	21368 / 2899
079612		3450	1/5	48N	115V	20554 / 2900
079021X		Kit, 12VDC/MET to Fasco				115.34
Universal						
079022		3450	1/7	48M	110-60 Hz	Capacitor Start
079025	7-0005	3450	1/5	48N	110/240V	Capacitor Start

Burner Transformers



- 10,000 Volt spark
- 2.2 Amp @ 110V
- 8.5 lbs
- Traditional copper wire wound

Part No.	Landa No.	Beckett No.	Mounting	Voltage
079663		51333U	AFG-A-AF-AR	120V
079668		51343U	AFG	230V
079662		21376U	S-SF-SR-SM	120V
079665	7-21176U	21176	SM	240V
079672		21346	AFG	120/240V
079673		31488BK	Adapter Plate; AFG to SM	


Burner Ignitors



- Solid state technology
- 14,000 Volt spark
- Only .35 Amp @ 110V
- 1.7 lbs

Part No.	Landa No.	Beckett No.	Mounting	Voltage
079669		51501U	AFG/Lo Amp	115V
079671	7-515241	51524U	ADCw/o CB	12VDC
079670		51499U	ADCw/ CB	12VDC
079707		51506U	SDCw/ Con BD	12VDC
079682	7-51824	518240	SDC	120V
079683		516670	SDC	220V
079687		51779U	SDCw/o CB	

Base Plates for Transformers & Ignitors



Part No.	Beckett
079644	A Trans/Ign
079645	S Trans/Ign
079646	E Trans/Ign
079647	M Trans/Ign

Burner Transformers



- 10,000 Volt spark
- 2.2 Amp @ 110V
- 8.5 lbs
- Traditional copper wire wound

Part No.	Landa No.	Wayne No.	Mounting	Voltage
079115	7-20358	20358	Side/EH-EHA	115V
079117		20593	Back/M-MSR	115V
079123	7-21153	21153	Side/EH-EH	230V
079124		21665	10KVA/Side	115V

Burner Ignitors



- Solid state technology
- 14,000 Volt spark
- Only .35 Amp @ 110V
- 1.7 lbs

Part No.	Landa No.	Wayne No.	Mounting	Voltage
079111		31813-001	Side/EH-EHA	115V
079113		31812-001	Back/M-MSR	115V
079107		31813-002	Side/EH-EHA	220V
079109		31812-002	Back/M-MSR	220V
079106		21985-001	Module Only*	220V
079120		31812-003	Rear Mount	12V
079121	7-100764-001	100764-001	Module Only*	12V
079152		31813003	Side Mount(E)	12V

*complete with Timer

12 VDC KIP Fuel Solenoid Valve



- Brass body
- 12V DC coil
- 1/8" FPT I/O ports
- Conduit connector
- 5/64" orifice = 6 watt

Part No.	Description
079652	Fuel Solenoid Valve

Oil Solenoid Valve



- Unitized mounting on Suntec fuel pumps
- 1/8" FPT inlet
- 300 psi max pressure
- Uses standard SUNTEC coil

Part No.	Landa No.	Description
079062	7-0009611	110V Oil Valve - R642
079063	7-0009622	220V Oil Valve - R753
079064	7-21441	12/24V Oil Valve - R261
079125		Flow Thru Connector Bolt
079126		Aluminum Seal Washer
079053X		110V Coil w/ Cord Set
079054X		230V Coil w/ Cord Set
079050X		12/24 Coil w/ Cord Set
079096	7-3713824	115V Coil w/o Cord Set
079097	7-3713825	230V Coil w/o Cord Set
079098		12/24VDC Coil w/o Cord Set
079099	7-3753895	Cord Set Only
079047		8mm Nut for Old Style Coil
079073		6mm Nut for New Style Coil

Fuel Pumps



- Use with single or dual line systems
- Pressure adjustment valve

Part No.	Landa No.	Description
Standard Pumps		
079030	7-0009	A2VA7116 3 3450 RH
079031		A1VA7112 3 1725 RH
079033		A2VC7118 3 3450 LH
079036		A1YA7912 7 1725 RH
079037		A2YA7916 7 3450 RH
079028		A2RA7710 RH
Pumps with Solenoid		
079038		A2VA2116 w/12V 3450 RH
079038-110		A2VA2116 w/110V 3 3450 RH
079038-220		A2VA2116 w/220V 3 3450 RH
Pump Replacement Parts		
079044	7-3715732	3715732 Pump Fuel Screen (A2VA 7116)
079055		3715744 Pump Fuel Screen (A2AVA 7916)
079045	7-3779801	3779801 Gasket Cover
079164		Lip Seal

CleanCut Fuel Pump



Simple design provides faster cleaning, more reliable cut offs, and cut ons. Cleaner operation-less soot. More reliable-fewer moving parts. Reduced motor load in start up. Higher capacity - 4 GPM at 100 psi.

- 100-200 psi - Factory set 100 psi
- Inlet pressure 10 psi
- Rated speed 3600 RPM
- Includes Built in solenoid w/ cord set

Part No.	Landa No.	Description
079641	7-21844U	110 Volt
079642	7-2184403U	220 Volt
079643	7-00098	12 Volt

Burner Accessories



9-028008



9-4007



112059

9-40083

- Coil Clean removes lime and scale buildup and restores heating coil efficiency
- Soot-O-Magic help remove soot from coils
- Red Devil Soot Remover eliminates soot deposits

Part No.	Description
9-028008	Coil Clean 8 lb
9-4007	Soot-O-Magic, Stick
9-40083	Liquid Soot Remover, Red Devil, Pint - 16 oz*
112059	Liquid Soot Remover, Red Devil, Quart - 32 oz

NOTE: No Air Freight shipments on the above items

Draft Diverters / Rain Caps



7-10031



7-10033

- Draft diverter prevents backdrafts, keeps cold air out
- Rain cap prevents water running down vent pipes
- Fits on standard stove pipe
- Hot dipped galvanized

Part No.	Description
7-1003	8", Round
7-10031	10", Round
7-10032	12", Round
7-10033	10", Exhaust Stack, Cap
7-10034	12", Exhaust Stack, Cap

Flue Adapters



7-10049



7-1004

- Used to vent exhaust from horizontal hot water machines
- Hot dipped galvanized
- Adapts to standard stove pipe

Part No.	Description
30-199*	8" without Stack, new style kit
7-10049	8" without Stack, new style
7-1004	8" with Stack, old style
7-10041	10" with Stack, old style

*Includes insulation and mounting hardware

BURNERS

Smoke Tester - Diagnostic Tool

The smoke tester gives you the ability to measure smoke (soot) density and adjust air flow and fuel pressure to optimize burner performance.



A properly tuned burner:

- Heats water more efficiently
- Doesn't build up soot in the coil
- Doesn't pollute the air
- Keeps your customers happy
- A tool that should be used by every serviceman in the industry.

Part No.	Description
449020	Smoke Tester
449019	Filter Paper Refill (40 sheet - 10 test per sheet)

"Snap" Fuel Nozzle Check Valve

Spring loaded "snap" check valve replaces filter element on fuel nozzle. Valve opens when fuel pump pressure reaches 130 psi and "snaps" shut when fuel pressure drops below 130 psi. Stops "smokey" burners at start up and eliminates "shut down" after burn.



- Reduces nozzle fouling caused by residual fuel in orifice
- Easy field installation in standard fuel nozzles
- Reduces soot build up in coil

Part No.	Description
079210	Snap Fuel Valve, 100 psi
079211	Snap Fuel Valve, 130 psi
079215	Snap Check Valve, 130 psi (5 pack)
079214	Snap Check Valve, 100 psi (5 pack)

Nozzle Accessories



Part No.	Description
079221	Nozzle Tray (Metal) (Open Top, 55-Compartment, Plastic)

Delavan Fuel Nozzles



Select proper size for maximum burner efficiency.

	GPH
079477	2.00 x 60°W
079479	1.65 x 80°W
079480	1.50 x 80°W
079481	1.75 x 80°W
079482	2.00 x 80°W
079483	2.25 x 80°W
079484	2.50 x 80°W
079486	2.75 x 80°W
079487	3.00 x 80°W
079490	4.00 x 80°W
079491	6.50 x 80°W
079505	1.65 x 90°W
079492	2.00 x 90°W

NOTE: The above "W"
Nozzles are Stocked
All Sizes Are Available

GPH	60° A Hollow	60° B Solid	70° A Hollow	70° B Solid	80° A Hollow	80° B Solid	90° A Hollow	90° B Solid
.50	079225	079250	079275	079300	079325			079400
.60					079326	079351	079376	
.65	079227				079327	079352	079377	
.75		079253		079303	079328	079353	079378	079403
.85	079229	079254		079304	079329	079354		079404
.90	079230	079255			079330	079355	079380	
1.00	079231	079256	079281	079306	079331	079356	079381	079406
1.10	079232	079257			079332	079357	079382	079407
1.20	079233	079258	079283		079333	079358		
1.25	079234	079259		079309	079334	079359	079384	079409
1.35	079235	079260		079310	079335	079360	079385	079410
1.50	079236	079261	079286	079311	079336	079361	079386	079411
1.65	079237	079262			079337	079362	079387	079412
1.75	079238	079263	079288	079313	079338	079363	079388	079413
2.00	079239			079314	079339	079364	079389	079414
2.25	079240	079265		079315	079340	079365	079390	079415
2.50	079241	079266	079291	079316	079341	079366	079391	079416
2.75	079242	079267		079317	079342	079367	079392	079417
3.00			079293	079318	079343	079368	079393	079418
3.25	079244		079294			079369	079394	079419
3.50		079270		079320	079345	079370	079395	079420
4.00	079246			079321	079346	079371	079396	079421
5.00						079373A	079398	
6.00						079374		079425
6.50						079372		
7.00						079374A		
8.00				079324				

Cycle Pilot

Gas Auto Relight Kits. Eliminate standing pilot in gas burners with a cycle pilot relight kit. Retro Fit Kit includes: Gas valve, flame sensor, electrode pilot relight and harness.



Part No.	Description
347425	24V Retrofit Kit (NG) 100,000 BTU
347418	24V Retrofit Kit (NG) 335,000 BTU
347379	24V Retrofit Kit (NG) 720,000 BTU
347416	Cycle Pilot Control (347425) 24V
347440	Cycle Pilot Control 120V
347446	Gas Ignition Electrode (24" Lead)

Gas Burner Rings - N/G or L/P Gas Jets

The Standard for Gas-Fired Pressure Washers. Impinged Jet Burner Rings offer the most efficient utilization of gas for heating water.



Gas Burner Ring

Part No.	Model No.	Jets Req'd	1000 BTUH
Gas Burner Rings Only			
347502	Z-21	20	100-200
347504	X-11	32	160-320
347506	X-44	44	220-440
347508	X-66	66	330-660
347510	X-88	88	440-880



Gas Jets

Part No.	Drill Size	Orifice Size	Use
Gas Jets for Burner Rings* (above)			
347552	#52	(.0635)	NG
347554	#54	(.055)	NG
347562	#62	(.038)	LP
347565	#65	(.035)	LP
347566	#66	(.033)	LP
347549	Blank (Must Be Drilled)		

*Due to freight damage on assembled rings/jets...Separately order correct number & size of jets for each burner ring.

Gas Valves - LP or Natural

Universal type for building new systems or field replacement. 750 MV, 24V or 120V Controls by White-Rodgers.



- 335,000 BTU max
- 3/4" inlet/outlet
- All adjustments & wiring connections on top of valve
- Automatic outlet pressure regulator
- A.G.A. design certified, C.G.A. certified

Part No.	Description
347400	Gas Valve 24V (1)
347410	Gas Valve 120V (2)
347412	Gas Valve 750 MV (1)
347423	3/4" LP Conversion Kit
347432	LPG Orifice (.010) White/Rogers
347433	LPG Orifice (.018) White/Rogers
7-70001	WR 36C03A-410, 3/4" White Rogers
7-70002	7000DERCH, 24V Robertshaw
7-7000HC	7000MVRHC, Robertshaw
7-7028	700522, (Hwg-75-1), 1" Robertshaw
7-7LPKIT	LPG Regulator Kit for Robertshaw

- (1) Includes two 3/4" x 1/2" all-thread plated bushings and valve instructions.
 (2) Includes L.P. Kit, two 3/4" x 1/2" and one 1/2" x 3/8" all-thread plated bushings and all instructions.

1" Gas Valves by Robert Shaw

Universal type for new equipment or replacement.




- Manual gas cock
- Auto pilot safety valve
- Wiring & hardware included
- Pilot gas filter
- 600,000 BTU LP gas
720,000 BTU Natural Gas
- 1" inlet/outlet

Part No.	Description
347406	240 Vac/NG, Standing Pilot
347407	24 Vac, NG, Standing Pilot
347403	24 Vac, NG, Electronic Ignition
347409	700 MV, Natural Gas

LP Conversion Kit on next page

LP Conversion Kit for Robert Shaw

Convert NG to LP



Part No.	Description
347421	1" LP Conversion Kit
347380	LP Orifice

Gas Valve Accessory Components

Use with both 3/4" and 1" models above.



Part No.	Landa No.	Description
7-70162		Ignitor, Piezo
7-70163		Electrode, Piezo Assembly
7-70164		Washer, Panel Adapter, Piezo
7-70165		Wire, 15" Assembly
7-70166		Wire, 15" Assembly
7-7017		Orifice, Pilot, LP, Small
7-7022		Jet, Orifice, 638-69
7-7023		Pilot Orifice, NG, Small
7-70230		Pilot, Orifice, NG, Large
347430		750 MV Generator
347431	7-7CH	Pilot Assembly, VHP/VNG
7-70237		Pilot, Natural Gas Electronic
347436	7-7034	Thermocouple, 24" White Rodgers
347438		Thermo Couple (w/ 36") Cap Tube
7-7036		Thermopile, VNG, 44 Mfg

Electronic Ignition



7-7014

- Replaces the need for standing pilot

7-70151

- Field installation kit
- Complete instructions included

Part No.	Description
7-7014	Kit, Electronic Ignition Field Install
7-70151	Ignition, Electronic Control

Propane Tanks



7-1015

- 10.5 gallon / 30 lb
- With or without gauge
- Fits on *LANDA* propane machines
- For outdoor use only

Part No.	Description
7-1014	10.5 gal/ 30 lb
7-1015	10.5 gal/ 30 lb w/ Gauge

NOTE: No Air Freight shipments on the above items

Propane Gas Regulators



7-1010

- High quality Fischer regulators
- High and low pressure
- Available individually or in 7-1010 kit

Part No.	Description
7-1005	High Pressure
7-10050	Low Pressure
7-10052	Regulator, Propane Gas, Fisher, VHP Units
7-1010	L.P. Assembly, includes High/Low Pressure Assembly

Coils



- Cold rolled pipe, no weak points from heating to make bends
- Heavy-duty schedule 80 carbon steel pipe
- "Aluminized Steel" wrapper
- Best warranty in the industry

95-07121212

Part No.	Description
95-07121212	DuraCoil, Sch 80 w/ Aluminized Steel Wrap, Horizontal
95-07121218	DuraCoil 14.5" Dia, Sch 80, MVC, VHP
95-07121220	VNG-S after 4/99, new style, 18" dia., ENG,VNG, NG,VHG
95-07121222	DuraCoil, VNG, Large, after 3/97, new style ENG,VNG,NG
95-07121213V	VNG-S, 16" (5/89-3/99) Except 8-2500, 6-3000, old style
95-07121212V	VNG-S Except 8-2500, 6-3000, old style pre 5/89
7-7041	HWG-60 VNG6-3000, before 3/97, old style
7-7042	HWG-75 VNG8-2500, before 3/97, old style
95-071212111	GTO Replacement Coil
95-07121224	DuraCoil, 6-3,8-3 VNG/VHG


Insulation & Rigid Disc / Donuts

Refractory Grade Ceramic **Kawool** Formed; retains heat inside coil for better fuel efficiency and paint protection.



Part No.	Description	TK/Long	Dia/Wide	OD/ID
"Rigid Formed" Donut & Discs				
122253	Donut	.88"	18"	6"/4.4"
122258	Donut	.88"	16"	6"/4.4"
122254	Disc	1/2"	18"	
122257	Disc	1/2"	16"	
Insulation Blanket				
122204	Coil Wrap	1"	24"	4'
122205	Coil Wrap	1"	24"	5'
122206	Coil Wrap	1"	24"	6'
122222	Full Roll	1/2"	24"	25'
122225	Full Roll	1"	24"	25'

Coil Insulation




- Refractory grade ceramic
- Retains heat inside coil for better fuel efficiency and paint protection

Part No.	Description
7-0140	Front Head, No Hole
7-0141	Burner Head, w/ Hole
7-0144	Gasket, Burner Plate
7-01470	Gasket, Skid Stackless Top
7-01471	Gasket, Stackless Adapter
7-01482	Tank Bottom, 1" Blanket, VHW, VHP
7-014832	Tank Head 16" OD x 8" ID, VHW, VHP
7-01401	Disk, Flash Pan, GTO (2 required)
7-0142	Blanket, w/ Foil sqft (10 sqft required)
7-01430	Blanket-No Foil, 24" x 57", Horizontal
7-01484	Blanket-Die Cut, 28" x 24", Horizontal
7-014841	Blanket-Die Cut, 33" x 89" (VNG)

Top & Bottom Wraps

- Stainless and mild steel



Part No.	Description
95-07121011S	Top, Yellow
95-07121014S	Top, Stainless Steel
95-07121012	Bottom, Yellow
95-07121015	Bottom, Stainless Steel
95-07290013	Outer, MVC
95-07290013S	Outer, Stainless, MVC