

## LANDA Pumps



LX Series



The LX series pump is the patriarch of the line, delivering enough volume and pressure for the beefiest of pressure Washer — from 5 to 10.6 GPM and from 2500 to 5000 psi. Its industrial crankshaft is made of a forged, hardened steel material and extends an extra-long 40mm to ensure a sure grip for the belt pulley. The rugged manifold or pump head is made of press-forged brass and is connected to the crankcase with eight 10mm bolts made of 12.9 class steel and coated by a Dacromet® treatment, a world class process that provides up to four times more corrosion resistance than zinc plated bolts.

- Up to 10.6 GPM and 5000 psi
- 10% lower RPM than comparable pumps
- Extra-heavy duty crankshaft and bearings
- 10mm head bolts made of 12.9 class steel
- 7-Year warranty on the oil-end of the pump and lifetime warranty on the brass head or manifold



Part No.	Model No.	Part No.	Model No.	GPM	PSI	HP	RPM	Shaft
5-1738	LX5050-Right	5-1739	LX5050-Left	5.0	5000	13.0	1660	25mm
5-1742	LX8030-Right	5-1743	LX8030-Left	8.0	3000	16.5	1460	25mm
5-1749	LX1025-Right	5-1748	LX1025-Left	10.6	2500	16.5	1725	25mm



LT Series



LANDA's unique design that delivers the same performance as other pumps but at 10% lower RPM is also found in the LT series, a Super Duty model that serves as the workhorse for LANDA pressure Washer. It also has an industrial crankshaft and press-forged brass manifold. The valve cages are made of a Zytel® plastic by Dupont and are 33% beefier than those found in other pumps. A unique cap design holds the valve upright and snug eliminating the ever-present potential for a drop in pressure. The heavy-duty ceramic plungers feature a mirror finish produced by a high-precision diamond grinding.

- Up to 6 GPM and 4000 psi
- 10% lower RPM than comparable pumps
- Unique snug-fit design for heavy-duty valves
- Durable ceramic plunger with mirror finish
- 7-Year warranty on the oil-end of the pump and lifetime warranty on the brass head or manifold



Part No.	Model No.	Part No.	Model No.	GPM	PSI	HP	RPM	Shaft
5-1726	LT4040-Right	5-1727	LT4040-Left	4.0	4000	11.0	1030	25mm
5-1724	LT4035-Right	5-1725	LT4035-Left	4.2	4000	11.0	1325	25mm
5-1728	LT5030-Right	5-1729	LT5030-Left	5.0	3000	13.5	1060	25mm
5-1730*	LT5030/H-Right			5.0	3000	13.5	1060	25mm
5-1732	LT6035-Right	5-1733	LT6035-Left	6.0	3500	14.5	1540	25mm

\*High heat valves and packing for SEA units.



LM Series



The LM series is a heavy-duty pump designed for a broad range of applications generally from 4 to 5 GPM and from 3000 to 3500 psi. Along with the many industrial-grade components found in all LANDA Pumps, the LM has a copper-plated plunger guide that is lined inside by a low-friction, teflon-bronze-and-lead bushing for a smoother, long-lasting surface. The LM also has tapered, European-made roller bearings for handling both radial and axial loads, as well as a metal crankcase dipstick with a unique design for ventilating the crankcase.

- Up to 5 GPM and 3500 psi
- 10% lower RPM than comparable pumps
- Copper-plated plunger guide lined with low-friction, teflon bronze and lead bushing
- 7-Year warranty on the oil-end of the pump and lifetime warranty on the brass head or manifold



Part No.	Model No.	Part No.	Model No.	GPM	PSI	HP	RPM	Shaft
5-1710	LM4030-Right	5-1711	LM4030-Left	4.0	3000	8.2	1000	24mm
5-1720	LM4035-Right	5-1721	LM4035-Left	4.2	3500	7.5	1300	24mm
5-1722*	LM4035/H-Right			4.2	3500	7.5	1300	24mm
5-1715	LM5030-Right	5-1714	LM5030-Left	5.0	3000	13.5	1550	24mm

\*High heat valves and packing for SEA units.



LS Series



The LS series is designed specifically as a direct drive pump for gas engines. Delivering 3-5 gpm and up to 4000 psi, the LS Series is a top of the line heavy-duty contender.

- Up to 5 GPM and 4000 psi
- Set screw for engine shaft
- Durable ceramic plunger w/mirror finish
- 7-Year warranty on the oil-end of the pump and lifetime warranty on the brass head or manifold



Part No.	Model No.	GPM	PSI	HP	RPM	Shaft
5-1760	LS3040G	3	4000	9	3400	1" Hollow
5-1761	LS3540G	3.5	4000	11	3400	1" Hollow
5-1762	LS4040G	4	4000	13	3400	1" Hollow
5-1763	LS5030G	5	3000	16	3400	1" Hollow

## LANDA Pump Repair Kit Selection Chart



Use the selection chart below to find the correct repair kits for the specific LANDA Pump Model.

Pump Model	Valves	Packings	Packing w/Brass	Plunger Oil Seals	Ceramic Plunger Kit*
LM-4030	70-260007	70-260821	70-260810	70-260023	70-260822
LM-4035	70-260007	70-261216	70-261210	70-260023	70-261217
LM-4035H	70-260007	70-261212	70-261213	70-260023	70-261217
LM-5030	70-260007	70-260821	70-260810	70-260023	70-260822
LT-4035	70-260007	70-260020	70-261211	70-260023	70-260024
LT-4040	70-260007	70-260020	70-261211	70-260023	70-260024
LT-5030	70-260007	70-260110	70-260811	70-260023	70-260112
LT-5030H	70-260007	70-262922	70-262921	70-260023	70-260112
LT-6035	70-260007	70-260020	70-261211	70-260023	70-260024
LS-3040G	70-260007	70-260824	70-260825	70-260027	70-260823
LS-3540G	70-260007	70-260824	70-260825	70-260027	70-260823
LS-4040G	70-260007	70-260824	70-260825	70-260027	70-260823
LS-5030G	70-260007	70-260824	70-260825	70-260027	70-260823
LX-8030	70-260025	70-260207	70-260208	70-260023	70-260209
LX-1025	70-260025	70-260207	70-260208	70-260023	70-260209
LX-5050	70-260018	70-260216	70-260217	70-260023	70-261217

\*Includes bolt, Washer, o-ring, teflon ring and ceramic plunger

## LANDA Pump Repair Kits



### Original Factory Direct Repair Kits.

See above for kit selection chart.

Individual parts are also available. See exploded view of pump for individual part numbers.

Part No.	Kit Description
70-260007	Valve Kit, LM, LT, LS Series
70-260018	Valve Kit, LX5050
70-260020	Plunger Seals, 20mm LT Series
70-260023	Plunger Oil Seals, LM, LT, LS Series
70-260024	Plunger†, 20mm, LT4035
70-260025	Valves, LX8030, LX1025
70-260027	Plunger Oil Seals, LS
70-260110	Plunger Seals, 22mm, LT5030
70-260112	Plunger†, 22mm, LT5030
70-260207	Plunger Seals, 25mm, LX8030, LX1025
70-260208	Packing Assy, 25mm, LX8030, LX1025
70-260209	Plunger, 25mm, LX8030, LX1025
70-260216	Plunger Seals, LX5050
70-260217	Complete Seal Packing, LX5050
70-260810	Complete Seal Packing, 20mm, LM4030, LM5030
70-260811	Complete Seal Packing, 22mm, LT5030
70-260821	Plunger Seals, 20mm, LM5030
70-260822	Plunger†, 20mm, LM5030
70-260823	Plunger†, 15mm, LS Series
70-260824	Plunger Seals, 15mm, LS Series
70-260825	Complete Seal Packing, 15mm, LS Series
70-261210	Complete Seal Packing, 18mm
70-261211	Complete Seal Packing, 20mm, LT Series
70-261212	Plunger Seal, 18mm, Hot Kit, LM4035H
70-261213	Packing Assy, 18mm, Hot Kit, LM4035H
70-261216	Plunger Seals, 18mm, LM4035
70-261217	Plunger†, 18mm, LM4035, LX5050
70-262922	Plunger Seal, 22mm, Hot Kit, LT5030H
70-262921	Packing Assy, 22mm, Hot Kit, LT5030H

\*Includes bolt, Washer, o-ring, teflon ring and ceramic plunger

## LANDA Pump Tool Kit



### A Must for every Service Department.

Save time using the right tool for the job. The LANDA Pump Tool Kit, which can be purchased individually, includes the following:

Part No.	Kit Description
70-060202	Oil Seal Bushing Inserter for LT Plunger Rod
70-120604	Oil Seal Piston Inserter for LT Plunger Rod
70-120605	Oil Seal Piston Inserter for LM Plunger Rod
70-060203	Oil Seal Bushing Inserter for LM Plunger Rod
70-021506	Allen Wrench, 8mm for LT Manifold bolts
70-021501	Allen Wrench, 6mm for LM Manifold bolts
70-021505	Allen Wrench, 5mm for LM-LT Crankcase cover bolts
70-010114	Oil Seal Bushing Inserter for LT Crankshaft
70-010117	Oil Seal Bushing Inserter for LM Crankshaft
70-021502	Piston Seal Extractor
70-120608	"V" Seal Piston Inserter for LM Manifold
70-010104	"V" Seal Bushing Inserter for LM Manifold
70-120609	"V" Seal Piston Inserter for LT Manifold
70-010105	"V" Seal Bushing Inserter for LT Manifold
70-021504	Hammer, Plastic Head
70-070109	Plastic Tool Box

Part No.	Kit Description
70-241202	LANDA Pump Tool Kit (complete)

## Pump Oil



- Formulated to exceed the factory specifications for LANDA, Admiral, AR, Interpump, General and other high pressure pumps.
- Quart or gallon size

Part No.	Description
90-8006	32 oz

## AR Triplex Ceramic Plunger Pumps



### Solid Shaft Models



101780

Part No.	Landa No.	Model No.	GPM	PSI	BHP	RPM	Shaft Dia	Weight lbs
101731		XTA3G22N	3.0	2200	4.5	1750	24mm	11
101734		XTA3G19N	3.0	1900	4.0	1750	24mm	11
101780		XMA3.5G25N	3.5	2500	5.5	1750	24mm	18
101870		RKA4G20N	4.0	2000	5.0	1750	24mm	19
101873		RKA4G30N	4.0	3000	7.5	1750	24mm	19
101875		RKA4G35N	4.0	3500	10.0	1750	24mm	19
101877		RKA4G40HN	4.0	4000	11.0	1750	24mm	21
101751		XW2125	5.5	3600	13.5	1450	24mm	21
101752		XWA8G29	8.0	2900	15.0	1750	24mm	21
101750		XW2623	6.87	3400	15.0	1450	24mm	34

### Direct Drive Electric Flanged Models



101730

Part No.	Landa No.	Model No.	GPM	PSI	BHP	RPM	Shaft Dia	Weight lbs
101742		XTA2G15E-F8	2.1	1500	2.0	1750	5/8"	9
101801		XTV2G15EBA-F8	2.1	1500	2.0	3400	5/8"	10
101803		XTV3G16E-F8	3.0	1600	3.0	3400	5/8"	10
101737		XTV3G20E-F8	3.0	2000	4.0	3400	5/8"	11
101717		XTV3G22E-F8	3.0	2200	4.5	3400	5/8"	11
101756		XTA3G22E-F8	3.0	2200	4.5	1750	5/8"	11
101730		XTA2G15EBA-F8	2.1	1800	3.0	1750	5/8"	10
101755		XTA3G16EBA-F8	3.0	1600	3.0	1750	5/8"	10
101871		RKA4G20E-F17	4.0	2000	5.0	1750	1-1/8"	21
101872		RKA4G30E-F17	4.0	3000	7.5	1750	1-1/8"	21

### Direct Drive Gas Engine Flanged Models



101865

Part No.	Landa No.	Model No.	GPM	PSI	BHP	RPM	Shaft Dia	Weight lbs
101804		XTV3G16D-F7	3.0	1600	3.0	3400	3/4"	10
101704		XTV3G20D-F7	3.0	2000	4.0	3400	3/4"	11
101701		XTV3G22D-F7	3.0	2200	4.5	3400	3/4"	11
101718		XMV25G26D-F25	2.5	2600	5.0	3400	3/4"	19
101711		XMV3G30D-F24	3.0	3000	6.0	3400	1"	19
101702		XMV3G25D-F25	3.0	2500	5.0	3400	3/4"	19
101796		XMV35G25D-F24	3.5	2500	5.5	3400	1"	19
101792		XMV35G25D-F25	3.5	2500	5.5	3400	3/4"	19
101797		XMV4G30D-F24	3.8	3000	7.5	3400	1"	19
101865		RKV35G30AD-F24	3.5	3000	5.0	3400	1"	21
101866		RKV4G30AD-F24	4.0	3000	7.5	3400	1"	21
101867		RKV4G32D-F24	4.0	3200	8.5	3400	1"	21
101868		RKV4G35HD-F24	4.0	3500	10.0	3400	1"	21

## AR Pump Repair Kit Selection Chart

Use the following chart to find AR Repair Kits by pump model number. See next page for AR kit pricing. We also stock a broad selection of non-kit AR repair parts.



Pump Model	Water Seals	Check Valves	Oil Seals	Piston Kit	Piston Guide	Support Rings	Hot Kit
XJV	AR002798	AR001864	AR002797	AR002796	AR1980180 ea	AR1980190 ea	NA
XJW	AR002800	AR001864	AR002797	AR002796	AR1980180 ea	AR1980190 ea	NA
XT-15MM	AR001866	AR001864	AR001872-N ver	AR002628	AR1260151 ea	AR1520120 ea	AR002029-V AR002725-H/D
XT-18MM	AR001874	AR001864	AR001872-N ver	AR002629	AR1260450 ea	AR1320340 ea	AR002030-V AR002726-H/D
XTA-15MM	AR001866	AR001864	AR001860-E ver	AR002628	AR1260151 ea	AR1520120 ea	AR002029-V
XTA-18MM	AR001874	AR001864	AR001860-E ver	AR002629	AR1260450 ea	AR1320340 ea	AR002030-V
XTV	AR001866	AR001864	AR001860-D, E ver AR001872-N ver	AR002628	AR1260151 ea	AR1520120 ea	AR002029-V AR002725-H/D
XM-15MM	AR002741	AR001864	AR002786-N ver	AR002544	AR1780090 ea F	AR002740 AR1780100 ea R	AR002776
XM-18MM	AR002747	AR001864	AR002786-N ver	AR002545	AR1780110 ea F	AR002745 AR1780120 ea R	AR002777
XMA-15MM	AR002741	AR001864	AR002786-N ver	AR002544	AR1780090 ea F	AR002740 AR1780100 ea R	AR002776
XMA-18MM	AR002747	AR001864	AR002786-N ver	AR002545 AR002787-E ver	AR1780110 ea F	AR002745 AR1780120 ea R	AR002777
XMV	AR002741	AR001864	AR002786-N ver	AR002544 AR002787-D ver	AR1780090 ea F	AR002740 AR1780100 ea R	AR002776
XRC-18MM	AR001857	AR001828	AR001855- N ver	AR002546	AR1380090 ea	AR001829	AR002809
XRC-20MM	AR001887	AR001828	AR001855- N ver	AR002547	AR1380150 ea	AR001815	AR002810
XRCA-18MM	AR001857	AR001828	AR001855- N ver	AR002546 AR001856-E ver	AR1380090 ea	AR001829	AR002809
XRCA-20MM	AR001887	AR001828	AR001855- N ver	AR002547 AR001856-E ver	AR1380150 ea	AR001815	AR002810
XRCV	AR001857	AR001828	AR001856-D, E ver	AR002546	AR1380090 ea	AR001829	AR002809
RK-18MM	AR001857	AR002864	AR001855-N ver	AR002546	AR1380090 ea	AR001829	AR002809
RK-20MM	AR001887	AR002864	AR001855-N ver	AR002547	AR1380150 ea	AR001815	AR002810
RKA-18MM	AR001857	AR002864	AR001855-N ver	AR002546	AR1380090 ea	AR001829	AR002809
RKA-20MM	AR001887	AR002864	AR001855-N ver	AR002547	AR1380150 ea	AR001815	AR002810
RKV	AR001857	AR001828	AR001856	AR002546	AR1380090 ea	AR001829	AR002809
XW-20MM	AR002782	AR002780	AR002781	AR002642	AR002784	NA	AR002778
XW-22MM	AR002783	AR002780	AR002781	AR001891	AR002785	NA	AR002779
XWA-20MM	AR002782	AR002780	AR002781	AR002642	AR002784	NA	AR002778
XWA-22MM	AR002783	AR002780	AR002781	AR001891	AR002785	NA	AR002779
SXW-18MM	AR002874	AR002871	AR002873	AR002548	AR002875	NA	NA

## AR Pump Kits



AR001864

**Original Factory Direct Repair Kits.** See previous page for kit selection chart. Don't see what you're looking for? Give us a call. We stock a broad selection of AR replacement parts. AR piston kits contain all that you need to repair broken pistons. O-rings, Washer, nuts, plungers...YOU GET IT ALL!




Part No.	Landa No.	Description	Part No.	Landa No.	Description
AR001804	83-1804	Packing	AR001887	83-1887	Water Seals
AR001805	83-1805	Packing, 20mm	AR002031	83-2031	Viton Seal, XRA
AR001806	83-1806	Pump	AR002043	83-2043	Oil Seal
AR001815	83-1815	Piston	AR002044	83-2044	Seal
AR001825	83-1825	Valve Kit	AR002624	83-2624	Seal
AR001826	83-1826	Piston Bolt	AR002628	83-2628	AR Piston #2628
AR001828	83-1828	Valve	AR002642	83-2642	Piston XWA8G30N-SX
AR001829	83-1829	Ring, Support XRA/XRV*	AR002697	83-2697	Repair, Combi-Set
AR001830	83-1830	Repair, AR 2882 O-Rings Only	AR002544	83-2544	Piston, XM*
AR001842	83-1842	Piston, XRA/XRV*	AR002740	83-2740	Support Ring, XM*
AR001843	83-1843	Piston, XRA, XR	AR002741	83-2741	Water Seal, XM*
AR001855	83-1855	Oil Seal, XRA*	AR002744	83-2744	XFV Manifold Assy
AR001856	83-1856	Oil Seal, XRV	AR002747	83-2747	Packing XMA* 18mm
AR001857	83-1857	Packing XRA/XRV*	AR002546	83-2546	Piston XRCA/XRCV
AR001860	83-1860	Seal, Oil, XTV*	AR002776	83-2776	Hot/Dry Cup
AR001864	83-1864	Valve Kit	AR002780	83-2780	Valve XWA8G30N-SX
AR001865	83-1865	Oil Seal	AR002781	83-2781	Seal XWA8G30N-SX
AR001866	83-1866	Packing Kit	AR002782	83-2782	Piston Seal, XWA8G30N-SX
AR001869	83-1869	Repair Unloader	AR002784	83-2784	Piston Guide, XWA8G30N-SX
AR001872	83-1872	Oil Seal	AR002786	83-2786	Oil Seals XMA35G25N
AR001873	83-1873	Oil Seal Kit Cmplt	AR002787	83-2787	Oil Seals
AR001874	83-1874	Packing			

\*Series

\*Series

## Comet Pumps & Pump Kits



For use in homeowner or light commercial duty pressure Washer.

- One piece bronze connection rods
- Built in unloader
- Increased surface area for lower operating temperatures
- Ultra high pressure head



Part No.	Landa No.	Model No.	GPM	PSI	RPM	Shaft Dia
101850	5-2100	AXD 3020 G	2.75	2000	3400	3/4"
830421		AXD 3025 G	2.9	2500	3400	3/4"
830160	5-2102	AXD 2527 G	2.5	2700	3400	3/4"

Comet kits and parts are available for any Comet model. Call with model number for quick and accurate service.




Part No.	Model No.
CT0202002000	Piston 15mm FWD
CT0202002200	Piston 18mm FWD
CT5019003500	Seal Kit LWD HP
CT5019003800	Packing Kit FWS / FWD
CT5019004500	Seal Kit Oil LW Series Hollow
CT5019006400	Seal Kit ZWD4030G
CT5019006500	Seal Kit Hollow Shaft Pumps
CT5019007700	Seal Kit AXD3020
CT5025001100	Valve Kit ZWD / FWS / FWD / HW / FW / LW

## Interpump / General Pumps



## Solid Shaft Pumps



Part No.	Landa No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102033*		W72	T721	2.2	1200	1.7	1450	24mm
102035*	5-2300	W73	T731	3.0	1200	2.4	1450	24mm
102052	5-2302	W99	T991	3.5	1500	3.5	1450	24mm
102052L		W99-Left	T991	3.5	1500	3.5	1450	24mm
102048		WS92	TS921	4.75	1800	5.8	1450	24mm
102046	5-23023	W92	T921	5.0	1700	5.8	1050	24mm
102046L		W92-Left	T921	5.0	1700	5.8	1050	24mm
102042		WS82	TS821	5.6	1500	5.6	1450	24mm
102058	5-23040	WS101	TS1011	4.0	2000	5.4	1450	24mm
5-23042		WS101	TS1011-Left	4.0	2000	5.4	1450	24mm
102056	5-2304	W101	T1011	4.5	2000	6.0	1125	24mm
5-23041		W101	T1011-Left	4.5	2000	6.0	1125	24mm
102076	5-23013	WS133	TS1331	3.5	2100	5.0	1450	24mm
102074		WS132	TS1321	4.75	2100	6.8	1450	24mm
102072	5-23026	W132	T1321	5.5	2100	7.9	1150	24mm
102084	5-3225	WS151	TS1511	4.0	2500	6.8	1450	24mm
5-2332		WS151	TS1511-Left	4.0	2500	6.8	1450	24mm
102082		W151	T1511	4.5	2500	7.7	1125	24mm
102090		WS162	TS1621	4.75	2500	8.0	1450	24mm
102088		W162	T1621	5.0	2500	8.5	1050	24mm
102105		W201	T2011	4.5	3000	9.2	1125	24mm
102110	5-2305	WS201	TS2011	4.0	3000	8.0	1450	24mm
102115	5-2307	WS202	TS2021	5.6	3000	11.3	1450	24mm
102115GL	5-2306	WS202-Left	TS2021	5.6	3000	11.3	1450	24mm
102157	5-23005	W972	T9721	2.1	1000	1.5	1750	24mm
102162		W973	T9731	2.8	1100	2.0	1750	24mm
102167*		W979	T9791	2.5	1100	2.0	1750	24mm
102170*	5-23007	W995	T9951	3.4	1300	3.0	1750	24mm
102174*		W996	T9961	4.0	1100	3.0	1750	24mm
102176	5-2310	W997	T9971	4.0	2000	5.0	1750	24mm
102135		W912	T9121	4.75	1500	5.0	1750	24mm
102140		W913	T9131	4.0	1900	5.0	1750	24mm
102145		W916	T9161	4.75	2300	7.5	1750	24mm
102150	5-23004	W921	T9211	4.0	2900	7.5	1750	24mm
102152	5-2320	W928	T9281	4.0	4000	11.0	1750	24mm
5-2321		W928	T9281-Left	4.0	4000	11.0	1750	24mm
102154	5-2331	T5050	T5050	5.0	5000	11.0	1845	24mm
5-2330	5-2331	T5050-Left	T5050	5.0	5000	11.0	1845	24mm
102097	5-23011	-	TT9111	3.0	1500	3.0	1750	24mm
102049		WW93	TT931	2.9	1500	3.0	2800	24mm
102047	5-23018	WW94	TT941	3.43	1300	3.0	2800	24mm
102099		WW935	TT9351	3.5	2500	5.0	3400	24mm
102102	5-23019	WW944	TT9441	4.4	2500	7.5	3400	24mm
102087L	5-23019	WW944-Left	TT9441	4.4	2500	7.5	3400	24mm

\*Duplex Pump

## Series "44" (EZ Series) Solid Shaft Pumps



Part No.	Landa No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102313	-	W956	EZ2536S	3.6	2500	6.0	1750	24mm
102313	-	W956-Left	EZ2536S	3.6	2500	6.0	1750	24mm
102317	5-23130	W959	EZ2542S	4.2	2500	7.0	1750	24mm
5-23131		W959	EZ2542S-Left	4.2	2500	7.0	1750	24mm
102320	5-23132	W186	EZ3040S	4.0	3000	8.0	3400	24mm
102318	5-2315	W959	EZ3042S	4.2	3000	9.0	1750	24mm
5-2316		W959	EZ3042S-Left	4.2	3000	9.0	1750	24mm
102333	5-23171	-	EZ4040S34	4.0	4000	11.0	3400	24mm



## Interpump / General Pumps (continued)



### Large Frame Solid Shaft Pumps



Part No.	Landa No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102004		W4A	T41A	12.0	900	7.2	650	35mm
102067	5-23008	WS104	TS1041	8.0	1600	7.5	1450	35mm
102086	5-23014	WS153	TS1531	8.0	2175	10.0	1450	35mm
102079		WS135	TS1351	11.0	2000	15.0	1450	32mm
102092	5-2309	W163	T1631	10.0	2500	17.0	1080	32mm
102120		W203	T2031	9.0	3000	18.2	1140	32mm
102006		W6	T611	7.0	1000	11.6	650	35mm
102008		W8	T81	21.0	1000	14.5	650	35mm
102012		W12	T121	35.0	1000	24.0	650	35mm
102015		W15	T151	43.0	1000	29.7	650	35mm
102133	5-2329	W425	T4251	6.6	5800	25.0	1000	35mm



### Solid Shaft Car Wash Pumps



Part No.	Landa No.	Model No.	GPM	PSI	HP	RPM	Shaft Dia	Ship Wt LBS
102295		CW2040	5.0	2500	5.5	1250	24mm	30
102293		CW24	5.0	2500	8.6	1250	24mm	30
102286		CW3040	5.0	3000	8.3	1250	24mm	32
102287	5-23081	CW1012	12.0	1200	10.0	900	24mm	46
102289		CW81	20.0	1200	18.0	1000	24mm	92

**E** Bolts directly to 56C face electric motors 5/8" shaft

**G** Bolts directly to 3-5 HP gasoline engines 3/4" shaft

**EZE** Equivalent to General Pump EZ Electric Pump. Bolts directly to 184TC motor with 1-1/8" shaft

**EZG** Equivalent to General Pump EZ gasoline engine pump. Bolts directly to 8-18 HP gas engine with 1" shaft

### Hollow Shaft Direct Drive - Flange included



Part No.	Landa No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102202	5-23003	W905E	T9051E	2.11	1400	2.0	1750	5/8"
102202L		W905E-Left	T9051E	2.11	1400	2.0	1750	5/8"
102204	5-23001	WW906E	TT9061E	2.1	1400	2.0	3400	5/8"
102210	5-23010	WW907E	TT9071E	2.8	1500	3.0	3400	5/8"
102206	5-23000	WW906G	TT9061G	2.1	1400	2.0	3400	3/4"
102208	5-23017	WW907G	TT9071G	2.8	1500	2.8	3400	3/4"

### EZ Series Hollow Shaft



Part No.	Landa No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102301		W956EZE	EZ2536E	3.6	2500	6.2	1750	1-1/8"
102303	5-2314	W959EZE	EZ2542E	4.2	2500	7.2	1750	1-1/8"
102305	5-23181	W950EZE	EZ2545E	4.5	2500	7.9	3400	1-1/8"
102304		W953EZE	EZ2555E	5.5	2500	9.0	3400	1-1/8"
102311		WW962EZG	EZ2545G	4.6	2500	7.9	3400	1"
102307	5-2318	WW960EZG	EZ3035G	3.5	2500	6.0	3400	1"
102309	5-2313	WW961EZG	EZ3040G	4.0	2500	6.8	3400	1"

**Interpump / General Pumps (continued)**



**Electric Hollow Shaft Direct Drive**




Part No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102254	T1508E	–	2.1	2200	3.0	1750	5/8"
102255	T1209E	–	2.4	1800	3.0	1750	5/8"
102256	T1209E	–	2.4	2200	4.0	1750	5/8"
102257	T1212E	–	3.2	1800	4.0	1750	5/8"
102258	T1212E	–	3.2	2200	5.0	1750	5/8"

**Gas Hollow Shaft Direct Drive**



Part No.	Interpump Model No.	GP Model No.	GPM	PSI	HP	RPM	Shaft Dia
102259	TT1510G	–	2.6	2200	5.5	3400	3/4"
102260	TT1511G	–	2.9	2200	6.0	3400	3/4"
102261	TT1512G	–	3.2	2200	6.5	3400	3/4"
102262	TT1513G	–	3.4	2200	6.5	3400	3/4"

**Hollow Shaft Direct Drive – Flanged for direct couple to electric motors**



Part No.	Landa No.	Model No.	GPM	PSI	HP	Shaft RPM	Ship Wt Dia	LBS
102125		TT9111EBF	3.0	1500	3.0	1750	5/8"	14
102125L		TT9111EBF-Left	3.0	1500	3.0	1750	5/8"	14
102126		TT2021EBF	2.1	2000	3.0	3400	5/8"	14
102127	5-23025	TT2028EBF	2.8	2000	4.0	3400	5/8"	14
102129	5-2303	TT2035EBF	3.5	2000	5.0	3400	3/4"	14

**Hollow Shaft Direct Drive – Flanged for direct couple to gasoline engines**



Part No.	Landa No.	Model No.	GPM	PSI	HP	Shaft RPM	Ship Wt Dia	LBS
102130		TT1540GBF	4.0	1500	5.5	3400	3/4"	14
102121	5-23022	TT2028GBF	2.8	2000	5.0	3400	3/4"	14
102122	5-2301	TT2035GBF	3.5	2000	6.5	3400	3/4"	14
102122L		TT2035GBF-Left	3.5	2000	6.5	3400	3/4"	14

**Hollow Shaft Direct Drive – EZ Series flanged for direct couple to electric motors or gasoline engines**



Gasoline series

Part No.	Landa No.	Model No.	GPM	PSI	HP	Shaft RPM	Ship Wt Dia	LBS
<b>For Electric Motors</b>								
102330		EZ4035E34	3.5	4000	10.0	3400	1-1/8"	21
102325		EZ4040E34	4.0	4000	11.0	3400	1-1/8"	21

Part No.	Landa No.	Model No.	GPM	PSI	HP	Shaft RPM	Ship Wt Dia	LBS
<b>For Gasoline Engines</b>								
102324		EZ4030G34	3.0	4000	10.0	3400	1"	21
102326	5-23161	EZ4035G34	3.5	4000	10.0	3400	1"	21
102327	5-2317	EZ4040G34	4.0	4000	11.0	3400	1"	21

## Interpump / General Pump Kit Selection Chart

Use this selection chart below to find the correct repair kit for the specific General Pump model.



Pump Model	Valves	Oil Seal Piston	Packings	Packing w/Brass	Pistons	Valve Caps	Piston Bolts	Head Rings	Crank Oil Seal
T9721	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T9731	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104637
T731	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T991	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T9951	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T9971	Kit 1	Kit 23	Kit 19	Kit 27	104809	Kit 4	Kit 6	Kit 21	104641
T921	Kit 1	Kit 2	Kit 148	Kit 29	104805	Kit 4	Kit 6	Kit 11	Kit 3
T1011	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
T1321	Kit 1	Kit 2	Kit 148	Kit 29	104805	Kit 4	Kit 6	Kit 11	Kit 3
T9211	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 5	Kit 6	Kit 7	Kit 3
T9281	Kit 1	Kit 2	Kit 9	Kit 112	104808	Kit 106	Kit 107	Kit 108	Kit 3
T4251	Kit 122	Kit 44	Kit 77	Kit 78	104810	–	–	Kit 7	Kit 32
T5050	Kit 150	Kit 2	Kit 109	Kit 151	104808	–	–	Kit 108	Kit 3
TS1021	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
TS1011	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
TS1041	Kit 62	Kit 37	Kit 69	Kit 82	104803		Kit 54	Kit 7	Kit 32
TS1321	Kit 1	Kit 2	Kit 148	Kit 29	104805	Kit 4	Kit 6	Kit 11	Kit 3
TS1511	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
TS1531	Kit 62	Kit 37	Kit 69	Kit 82	104803		Kit 54	Kit 7	Kit 32
TS2011	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 5	Kit 6	Kit 7	Kit 3
TS2021	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 5	Kit 6	Kit 7	Kit 3
TT9111	Kit 1	Kit 83	Kit 141	Kit 140	104806	Kit 84	–	–	104641
TT941	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104641
TT9441	Kit 1	Kit 23	Kit 88	Kit 92	104800	Kit 4	–	–	104641
TT2028	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104637
TT2035	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84		–	104637
TT9061	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104637
TT9071	Kit 1	Kit 83	Kit 97	Kit 96	083807	Kit 84	–	–	104637
EZ2542E	Kit 123	Kit 23	Kit 127	Kit 131	104804	Kit 124	–	Kit 129	104649
EZ2545E	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3035G	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3040G	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3040S	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104644
T9051EBF	Kit 1	Kit 83	Kit 97	Kit 96	104800	Kit 84	–	–	104644
EZ2542S	Kit 123	Kit 23	Kit 127	Kit 131	104804	Kit 124	–	Kit 129	104644
EZ3042S	Kit 123	Kit 23	Kit 127	Kit 131	104804	Kit 124	–	Kit 129	104644
EZ4040S34	Kit 123	Kit 23	Kit 153	Kit 156	104812	Kit 124	–	Kit 155	104644
EZ3030G34	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ3045G	Kit 123	Kit 23	Kit 88	Kit 130	104800	Kit 124	–	Kit 90	104649
EZ4035G34	Kit 123	Kit 23	Kit 153	Kit 156	104812	Kit 124	–	Kit 155	104649
TS1331-B	Kit 1	Kit 2	Kit 69	Kit 28	104803	Kit 4	Kit 6	Kit 7	Kit 3
T1631	Kit 1	Kit 24	Kit 148	Kit 28	104805	Kit 4	Kit 6	Kit 11	–
CW1012	Kit 62	Kit 37	Kit 113	Kit 67	104813	–	Kit 74	Kit 65	Kit 32

## Genuine Interpump / General Pump Kits



We stock a complete selection of original General Pump repair kits. See previous page for our kit selection chart.

- Complete selection of repair kits

Part No.	Landa No.	Description
103001G	1-0001	Kit 1, Valve
103002B	1-0002	Kit 2, Piston Rod Oil Seal
103003B	1-0003	Kit 3, Crankshaft Oil Seal
103004B	1-0004	Kit 4, Valve Caps
103005B	1-0005	Kit 5, Valve Cap
103006B	1-0006	Kit 6, Piston Bolt
103007B	1-0007	Kit 7, Head Ring
103008B	1-0008	Kit 8HP, 20mm Packing
103008LP	1-0008HP	Kit 8HP, new style Packing Kit
103009B		Kit 9 Packing Spacer
103010B	1-0010	Kit 10, Retainer 20mm Packing
103011B	1-0011	Kit 11, 22mm Head Ring
103012B	1-0012	Kit 12, 22mm Packing
103014B	1-0014	Kit 14, Retainer 22mm Packing
103015B	1-0015	Kit 15 Packing Adapter
103016B	1-0016	Kit 16, 24mm Packing
103017B	1-0017	Kit 17, 24mm Intermediate Ring
103018B		Kit 18 Packing Retainer
103019B	1-0019HP	Kit 19HP, 20mm Packing
103019NB	1-0019	Kit 19, new style
103020B	1-0020	Kit 20, 20mm Intermediate Ring
103021B	1-0021	Kit 21, 20mm Head Ring
103022B	1-0022	Kit 22, 20mm Packing Retainer
103023B	1-0023	Kit 23, Piston Rod Oil Seal
103024B	1-0024	Kit 24, Piston Rod Oil Seal
103026B	1-0026	Kit 26, Piston Bolt
103027B	1-0027	Kit 27, 20mm Packing Assembly
103028NB	1-0028	Kit 28, 20mm Packing Assembly
103029NB	1-0029	Kit 29, 22mm Packing Assembly
103030B	1-0030	Kit 30, 24mm Packing Assembly
103032B	1-0032	Kit 32, Crankshaft Oil Seal
103037B	1-0037	Kit 37, Piston Rod Oil Seal
103038B	1-0038	Kit 38, 36mm Packing

Part No.	Landa No.	Description
103041B	1-0041	Kit 41 Packing Adapter
103044B	1-0044	Kit 44, Piston Rod Oil Seal
103050B	1-0050	Kit 50, Valve Kit
103051B	1-0051	Kit 51, Timax Maintenance
103058B	1-0058	Kit 58, K5 Maint.
103059B	1-0059	Kit 59, K3 Maint.
103060B	1-0060	Kit 60, K5 Complete Rebuild
103061B	1-0061	Kit 61, K3 Complete Rebuild
103062B	1-0062	Kit 62, Valve
103063B	1-0063	Kit 63 30mm Packing
103064B	1-0064	Kit 64, Packing w/Intermed. Rings
103065B	1-0065	Kit 65 30mm Head Ring
103066B	1-0066	Kit 66 Packing Spacer
103067B	1-0067	Kit 67, 30mm Packing Assembly
103069NB	1-0069	Kit 69, 20mm Packing w/Restop
103070B	1-0070	Kit 70, K7 Maint.
103071B	1-0071	Kit 71, Intermed. Ring w/Restop
103072B	1-0072	Kit 72, Maint. Kit
103074B	1-0074	Kit 74, Piston Bolt
103077B	1-0077	Kit 77, 20mm Packing w/Restop
103079NB	1-0079	Kit 79, 45mm Packing w/Restop
103080B	1-0080	Kit 80, 45mm Packing Assembly
103081B	1-0081	Kit 81 Intermediate Ring
103083B	1-0083	Kit 83, Oil Seal
103084B	1-0084	Kit 84, Valve Cap
103085B	1-0085	Kit 85 Complete Packing
103086B	1-0086	Kit 86 Packing Retainer
103087B	1-0087	Kit 87, Packing
103088NB	1-0088	Kit 88, Packing EZ3040G
103089B	1-0089	Kit 89 Intermediate Ring
103090B	1-0090	Kit 90, Head Ring
103091B	1-0091	Kit 91 Packing Retainer
103092B	1-0092	Kit 92, Piston Seal
103093B	1-0093	Kit 93 Control Set W2
103094B	1-0094	Kit 94, Control Set
103095B	1-0095	Kit 95, KR Unloader
103096B	1-0096	Kit 96 Packing Assembly

Part No.	Landa No.	Description
103097B	1-0097	Kit 97, Packing
103098B	1-0098	Kit 98, ZKW1 Maint.
103100NB	1-100	Kit 100, Hot Kit 190° Water (Replaces Kits #1 & #28)
103101B	1-0101	Kit 101, Hot Kit Valve
103102B	1-0102	Kit 102 Unloader Maint.
103105B	1-0105	Kit 105, P10 Maint.
103106B	1-0106	Kit 106, Valve Cap
103107B	1-0107	Kit 107, Piston Bolt Pump T9281
103108B	1-0108	Kit 108, Head Ring for T-9281
103109B	1-0109	Kit 109 16mm Packing
103110B	1-0110	Kit 110, 16mm Intermediate Ring
103111B	1-0111	Kit 111, Packing Retainer, 16mm Pump T9281
103112B	1-0112	Kit 112, 16mm Packing Assembly
103113B	1-0113	Kit 113, Packing Assembly
103118B	1-0118	Kit 118, Packing
103119B	1-0119	Kit 119, Packing
103120B	1-0120	Kit 120, Unloader
103122B	1-0122	Kit 122, Valves
103123B	1-0123	Kit 123, Valve EZ3040
103124B	1-0124	Kit 124, Valve Cap and O-ring for EZ Pump
103125B	1-0125	Kit 125, EZ Pump
103126B	1-0126	Kit 126, EZ Pump
103127B	1-0127	Kit 127, Packing EZ2542S
103129B	1-0129	Kit 129, Head Ring EZ Series
103130B	1-0130	Kit 130 Packing Complete
103131B	1-0131	Kit 131, EZ Pump
103134B	1-0134	Kit 134 Valve TH Pump
103140B	1-0140	Kit 140, Packing Assembly, T9111
103141B	1-0141	Kit 141, General
103148B	1-0148	Kit 148 22mm Packing
103149B	1-0149	Kit 149, Ring Intermediate
103150B	1-0150	Kit 150, Valve General T5050
103151B	1-0151	Kit 151 Packing Retainer
103153B	1-0153	Kit 153, Packing Kit
103156B	1-0156	Kit 156 13mm Packing

# PUMPS & PUMP KITS

## Piston Pumps



100315

- Cast iron body
- Stainless steel check valves
- Complete with base or torque arm
- Buna cups
- 140° max temp except 5321
- 180° max temp. 5321
- 1/2 NPT Ports

Part No.	Landa No.	Hypro	GPM	PSI	RPM
<b>Solid Shaft</b>					
100314		5315	1.5	500	1750
100319	5-20231	5320	2.0	500	1750
100322	5-2027	5321	2.2	1000	1750
100325		5324	2.9	800	1750
100327	5-2022	5325	2.5	500	1750
100331	5-2024	5330	3	500	1750
<b>Hollow Shaft</b>					
100315		5315	1.5	500	1750
100316*		5315	1.5	500	1750
100320	5-2028	5320	2.0	500	1750
100321	5-2026	5321	2.2	1000	1750
100324		5324	2.9	800	1750
100326	5-2021	5325	2.5	500	1750
100330	5-2023	5330	3.0	500	1750
100301	Injector Head 5320/5330 Pump				
100306	Injector Head 5321/5324 Pump				

\*100316 Has Teflon Seals

## Pump Parts & Tools



For 5300 series pump.



Piston Repair Kit



Valve Seat Tools



Valve Cage Tools

- A necessity for working on 5300 series pumps
- Rugged construction

Part No.	Description
H34300010	Piston Repair Kit (Model 5320 pump)
H34300144	Piston Repair Kit (Model 5321 pump)
H34300197	Check Valve Kit (All 5300 Pumps)
449052	Valve Cage Tool
449071	Valve Seat Tool

NOTE: Piston Repair Kits have Buna seal

## Jetter Pulse Valves



Replaces valve cap to create pulsation action, to move nozzle in pipe cleaning applications.



Part No.	Landa No.	Description
410316	1-100316	For EZ Pumps
410317	1-100317	For 47 Series Pumps
410318	1-100315	For TT Pumps

## Packing & Seal Kits



UPC, General Pump and Interpump Replacement Kits



Time-tested Quality Parts Meet or Exceed Factory Specifications

Part No.	Description
103001X	Kit 1, Check Valve
103002X	Kit 2, Oil Seal
103003X	Kit 3, Crankshaft Oil Seal
103008X*	Kit 8, V-Packing
103009X*	Kit 9, Intermed Packing
103012X*	Kit 12, V-Packing
103013X*	Kit 13, Intermed Packing
103016X*	Kit 16, V-Packing
103019X*	Kit 19, V-Packing
103023X	Kit 23, Crankcase Oil Seal
103024X	Kit 24, Crankcase Oil Seal
103027X*	Kit 27, Plunger Repair
103028X*	Kit 28, Plunger Repair
103029X*	Kit 29, Plunger Repair
103037X	Kit 37, Oil Seal
103083X	Kit 83, Oil Seal
103087X	Kit 87, V-Packing
103097X	Kit 97, Packing

\*These are old style kits to replace components in Interpump/General pumps with two brown Buna-V packings; (pumps built before the change was made to restop ring and black low-pressure seals.)

## General Pump Ceramic Plungers



Precision ground, high polish, solid ceramic plungers, designed for long life even under constant use.

Part No.	Landa No.	Size
104804	1-44040109	18mm (EZ)
104812	1-44040266	13mm, EZ Series
104801	1-46040009	W50 Pump
104803	1-47040409	20mm, (1.970" length)
104805	1-47040509	22mm
104807		24mm, 47040609
104808	1-47040856	16mm
104809	1-50040409	20mm, (1.570" length)
083807	1-51040009	15mm
104798	1-51040109	18mm, TP Series
104800	1-52040009	15mm (EZ)
104810		20mm, 61040056
104811		36mm, 69040009
104813	1-69040109	30mm
104802		30mm, 76040056
104815		45mm, 76040209

## O-Ring Tool

Indispensable for Pump Repair. Excellent for removing O-Rings, seals, etc.



- 6" long dental pick
- Stainless steel
- Knurled handle
- Double-end

Part No.	Description
249737	Dental Pick

## Accumulator



Pulse Dampener.



- 3/4" MPT connector
- 10 GPM max flow
- 1350 psi max pressure
- Weight 1 lb

Part No.	Description
381110	Accumulator

## Accumulator - Pulse Dampener



381102                      381104

- Max Temp - 180°F
- Precharge Pressure 580 psi

Part No.	Working PSI	Capacity	Inlet
381102	3100	21.4 CU"	1/2"F
381103	3100	6.1 CU"	3/8"F
381104	4400	2.5 CU"	3/8"F

## Packing Extractor



Virtually Unbreakable Sockets will pull Packings from Interpump, General and other brand pumps.

**Easy to Use:** Slide-Hammer (shown below) attaches to Slotted Socket—which expands inside the Packing Gland. The Slide Hammer then pops the Packing Gland Brass out of the Head to facilitate easy seal repairs without damage to Brass Support Rings.



Part No.	Description
----------	-------------

### Slide Hammer

449299 Hammer Only

### Sockets for Regular Slide Hammer

449302 18mm Socket  
 449301 15mm Socket  
 449303 20mm Socket  
 449304 22mm Socket  
 449307 25mm Socket

### Large Slide Hammer

449309 Large Slide Hammer

### Sockets for Large Slide Hammer

449311 30mm Socket  
 449312 38mm Socket  
 449313 45mm Socket

## Packing Extractor Tool



Expansion Tool inserts into Packing Gland to remove lodged Packing Components.



Part No.	Description
----------	-------------

449310 Extractor (only)

### Expansion Sockets for Extractor Above

449315 15mm (Ref Kit 86 & 97)  
 449320 20mm (Ref Kit 8 & 19)  
 449322 22mm (Ref Kit 12)  
 449324 24mm (Ref Kit 16)

NOTE: 15mm Expansion Sockets also fit Admiral Pump W-Series pumps. Also see Admiral Tools, above.

## Pulse Hose



- 1300 psi working pressure
- Available with either plug-end or open flow with solid/swivel connects
- 3/8" MPT on both styles

Part No.	Description
381118	18" with Plug End
381124	24" with Plug End
381128	28" Solid/Swivel - Open
381136	36" Solid/Swivel - Open

## V-Packing Insertion Tool Kit

Contains Inserting Tools for installing 20mm, 22mm and 24mm V-Packings in the Packing Gland. Prevents damaged sealing surfaces.



Part No.	Landa No.	Description
449305	1-ZMVT00L	V-Packing Kit

## Pump Oil



Formulated to meet the factory specifications for Admiral, Interpumps, General Pumps and other high pressure pumps.

Part No.	Description
112055	Pump Oil (quart)
112075	Case Lots (12 ea)

## Pump Lube



- A premium quality lubricating oil fortified with additives to reduce friction, foaming & corrosion
- Excellent for use in CAT PUMPS and other fine precision machinery

Part No.	Description
112056	Pump Lube (quart)
112076	Case Lots (12 ea)

## “Inter-Lube-Red” Gear Lube



Inter-Lube Red Gear Lube is a multi-viscosity SAE 80W 90 lubricant with anti-friction, anti-foaming and corrosion inhibitor additives. Use in Admiral Geared Speed Reducers and Interpump/General RS99, RS151, PTO as well as other High Speed Gear Boxes.

Part No.	Description
112052X	Interlube (quart)
112072X	Case Lots (12 ea)

# PUMPS & PUMP KITS

## Geared Reduction



Specifically designed for Legacy and Admiral pumps



- Engine-to-Pump drive units
- 2.1 to 1 reduction ratio (3675 Eng. RPM=1750 Pump RPM)
- Engine shaft size = 1" or 1-1/8"
- Pump shaft size = 24mm or 30mm

Part No.	Fits Shaft Sizes
349120	24mm Pump x 1" Engine
349121	30mm Pump x 1" Engine
349122	30mm Pump x 1-1/8" Engine

## Geared Reduction



Fits: Admiral - Interpump - AR - Comet - Udor - Hawk



- Engine-to-Pump drive units
- 2.18 to 1 reducer
- Fore 11-18 HP Gasoline Engine

Part No.	Fits Shaft Sizes
349130	1" Engine Shaft
349131	1-1/8" Engine Shaft

## PTO Geared Multiplier



- 1 to 1.9 speed multiplier
- 1-3/8" splined shaft (same shaft as standard tractor PTO)
- 540 RPM PTO speed multiplied to 1026 RPM at pump shaft

Part No.	Fits Shaft Sizes
349005	Gear Multiplier

## Anti-Seize Compound

Recommended for All Metal to Metal Power Drive Assemblies – Facilitates Removal After Use.



- Copper - Graphite or Nickel
- Copper - Graphite High torque for high temperature to 1800°F
- Nickel continues to work up to 2400°F
- Stops rust, galling & seizure on pulley/shaft or gear/shaft interfaces

Part No.	Description
112299	Blister Pack (1 appl) copper - graphite
112305	8 oz Brush Top Can - nickel

## Geared Reduction Units



For use with 1450 RPM Interpump, General Pumps and Admiral A-VV99

- RS99** – 2.4:1 Gear Reduction (3480 Eng. RPM = 1450 RPM Pump)  
For 3-5 HP Briggs, Honda-Tecumseh-Kohler with 3/4" shaft
- RS151** – 2.2:1 Gear Reduction (3190 eng. RPM = 1450 RPM pump)  
For 7-18 HP Briggs, Honda engines with 1" or 1-1/8" shaft (must specify)  
Use with the appropriate size: "WS" series Interpump, "TS" series General pump



- Eliminates belts, pulleys & belt guards
- Engine-to-Pump drive units
- Improve efficiency

349009

Part No.	Engine Shaft
<b>RS-99</b>	
349009	3/4"



349011

<b>RS-151</b>	
349011	1"
349013	1-1/8"

## Flex Couplers



24mm Pump Shaft Couplers. Direct Drive Flex Coupling 24mm Interpump/General & Admiral XLS Series Pumps to NEMA Standard Motor Shafts.



2-Piece Coupler

Part No.	NEMA Frame	Drive Shaft
<b>2-Piece Coupler</b>		
336028	56 A	5/8"
336030	145 T	7/8"
336032	184 T	1-1/8"
336036	215 T	1-3/8"
339112A	Gas (Aluminum)	1"

## Flanges

Direct Attachment of Interpump/General Pumps to NEMA Standard C-Face Motors.

**NOTE:** Flange 336020 & 336024 also fit Admiral XLS and 24mm XD pumps



Part No.	NEMA Frame	Drive Shaft
336020	56/145TC	W973
336024	184TC	W995
336025	215TC	W913
339120	8-13 HP(G)	WW161